



Welcome Home

Home is the foundation that supports the rest of everything in life.



Tuscany C10
Riviera C30, C30R, C31, C32, C33, C34

CCRR-0163 complies with IBC, IRC, and FBC



You cherish your home and embrace your family and friends. You work hard to create a place where you can spend quality time enjoying your life's journey.

Westbury Aluminum Railing adds a level of beauty, distinction, and lasting value to your home. By selecting the color that fits your home, you are adding beauty. By selecting the design that fits your lifestyle, you are adding distinction. By selecting one of our virtually maintenance-free aluminum railing systems, you are adding lasting value.

We welcome you home with Westbury Aluminum Railing.



Welcome Home

CONTENTS

	 Tuscan Series	5
	 Montego Series	7
	 Riviera	9
	 Riviera "R"	10
	 Riviera I	11
	 Riviera II	13
	 Riviera III	14
	 Riviera IV	15
	 Veranda	17
	 Drink Rail	19
	 Powder Coating	20
	 Accessories	22
	 Colors	23
	 Aluminum Continuous Handrail . . .	24

*TESTING RESULTS

CCRR-0163 complies with IBC, IRC, and FBC. The following Westbury Railing Products are included in CCRR-0163; C10, C30, C30R, C31, C32, C33, C34, C70 and 2-1/2" Power Post.

**Note: Please check with local code authorities for requirements.*

A Style: Tuscan
Color: Bronze Fine Texture

B Style: Montego
Color: Black Fine Texture

C Style: Riviera
Color: Bronze Fine Texture

D Style: Veranda
Color: Satin Black


E Style: Montego (Special 3-Rail)
Color: Satin Black





Style C10*

From the stylish top rail to the classic bottom rail to the ideal 3/4" square balusters, Style C10 compliments the most distinguished decks and patios.



Style C101

If you prefer a more open viewing area with the classic look of balusters, Style C101 does just that. The 3/4" round balusters leave an airy feeling while maintaining the security of an enclosed railing.

A Style: C101
Color: Black Fine
Texture

B Style: C10
Color: Bronze
Fine Texture

C Style: C10
Color: Bronze
Fine Texture

D Style: C10
With Stair
Crossover
Posts
Color: Bronze
Fine Texture

*CCRR-0163 complies with IBC, IRC, and FBC



*For 4' through 6' Sections

Tuscany



C10*

C101

SPECIFICATIONS

- Railing Heights: 36", 42"
- Railing Lengths: 4', 5', 6', 7', 8'
- Stair Rail Lengths: 4', 5', 6', 7', 8'
- C10 Baluster: 3/4" x 3/4" x (.045" wall)
- C101 Baluster: 3/4" Round (.060" wall)
- Baluster Spacing: 3.875", 3.625" Stairs
- Stylish Top Rail: 1-3/4" w (.090") x 1-3/8" t (.085")
- Bottom Rail: 1-3/4" w (.090") x 1-1/4" t (.120")
- Vinyl Insert Baluster Retainer (Top and Bottom Rails)
- Bottom Rail Support: 7', 8'
- Standard Gates: 36"W and 48"W Openings (Custom Sizes Available)

NOTE: Baluster end spacing may vary by length.

All sections do not come out even on each end as shown above.



Top Rail Profile



Bottom Rail Profile


A stylish 1-3/4" x 1-3/8" top rail combined with the 1-3/4" x 1-1/4" classic bottom rail creates a streamlined design sure to appeal to those with a touch of class.



G



E



F

E Style: C10 With Level Crossover Post
Color: Bronze Fine Texture

F Style: C10 With Level Crossover Post
Color: Satin Black

G Style: C10 Gate
Color: Speckled Walnut

*CCRR-0163 complies with IBC, IRC, and FBC



*For 4' through 6' Sections



A



B



C

A Style: C20 Radius
(Special 3-Rail)
Color: Satin Black

B Style: C20 Radius
Color: Satin Black

C Style: C20 Radius
Color: Satin Black

Montego



C20

SPECIFICATIONS

- Railing Heights: 36", 42"
- Railing Lengths: 4', 5', 6', 7', 8'
- Stair Rail Lengths: 4', 5', 6', 7', 8'
- Architectural Baluster: 3/4" x 3/4" x (.053" wall)
- Architectural Baluster Spacing: 3.875", 3.625" Stairs
- Stylish Top Rail: 1-3/4" w (.090") x 1-3/8" t (.085")
- Bottom Rail: 1-3/4" w (.090") x 1-1/4" t (.120")
- Vinyl Insert Baluster Retainer (Top and Bottom Rails)
- Bottom Rail Support: 7', 8'
- Standard Gates: 36"W and 48"W Openings (Custom Sizes Available)

NOTE: Baluster end spacing may vary by length.

All sections do not come out even on each end as shown above.



Top Rail Profile



Bottom Rail Profile

The eye-catching shapes of the rails compliment the contour of the architectural baluster.

Style C20

The Montego Series creates an eye-catching design with the curved lines of the architectural balusters and a definitive 2-rail design. You'll want to roll out the red carpet for these luxurious designs.




D Style: C20
Color: Satin Black




Style C30*

With the open top space and 3/4" balusters filling in the bottom area, Style C30 adds a rich presence to your outdoor living space.



Style C301

For a unique look to fit your personality, Style C301 opens your view by utilizing 3/4" round balusters.



A Style: C30
With Level
Crossover Post
Color: Satin Black

B Style: C30
Color: Satin Black

C Style: C30
Color: Satin Black


D Style: C30
Color: Satin Black

Note: 7' & 8' Section Center Picket
Between Mid and Top Rail

*CCRR-0163 complies with IBC, IRC, and FBC



*For 4' through 6' Sections



C30*

C301

SPECIFICATIONS

- Railing Heights: 36", 42"
- Railing Lengths: 4', 5', 6', 7', 8'
- Stair Rail Lengths: 4', 5', 6', 7', 8'
- C30 Baluster: 3/4" x 3/4" x (.045" wall)
- C301 Baluster: 3/4" Round (.060" wall)
- Baluster Spacing: 3.875", 3.625" Stairs
- Stylish Top Rail: 1-3/4" w (.090") x 1-3/8" t (.085")
- Mid Rail: 1-3/4" w (.070") x 1-1/4" t (.070")
- Bottom Rail: 1-3/4" w (.090") x 1-1/4" t (.120")
- Vinyl Insert Baluster Retainer (Top, Mid and Bottom Rails)
- Bottom Rail Support: 5', 6', 7', 8'
- Standard Gates: 36"W and 48"W Openings (Custom Sizes Available)

NOTE: Baluster end spacing may vary by length.
All sections do not come out even on each end as shown above.
7' & 8' sections have center support between top and mid rail.
All radius sections have mid rail support.



Top Rail Profile



Mid Rail Profile



Bottom Rail Profile

A sleek designed top rail and the esthetically shaped mid and bottom rails create a harmonious appearance.

Riviera

Styles C30* & C301



E Style: C30
Color: Bronze
Fine Texture

F Style: C30 Radius with
Magna Star Solar Lights
Color: Satin Black

G Style: C30 Single Walk Gate
Color: Satin Black



True Close Hinge




Lock Latch Deluxe, Back



Lock Latch Deluxe, Front



Magna-Latch



*CCRR-0163 complies with IBC, IRC, and FBC




*For 4' through 6' Sections

Riviera "R"

Styles C30R* & C301R

Adding rings to the 3-rail design gives it a sophisticated appearance. With an option of Style C30R 3/4" square or Style C301R 3/4" round balusters, you can create your own design to fit your lifestyle.



C30R*

C301R

SPECIFICATIONS

- Railing Heights: 36", 42"
- Railing Lengths: 4', 5', 6', 7', 8'
- Stair Rail Lengths: 4', 5', 6', 7', 8'
- C30R Baluster: 3/4" x 3/4" x (.045" wall)
- C301R Baluster: 3/4" Round (.060" wall)
- Baluster Spacing: 3.875", 3.625" Stairs
- Stylish Top Rail: 1-3/4" w (.090") x 1-3/8" t (.085")
- Mid Rail: 1-3/4" w (.070") x 1-1/4" t (.070")
- Bottom Rail: 1-3/4" w (.090") x 1-1/4" t (.120")
- Vinyl Insert Baluster Retainer (Top, Mid and Bottom Rails)
- Bottom Rail Support: 5', 6', 7', 8'
- Standard Gates: 36"W and 48"W Openings (Custom Sizes Available)

NOTE: Baluster end spacing may vary by length.
All sections do not come out even on each end as shown above.



A



C

A Style: C30R
Color: Gloss White

B Style: C301R
Color: Black Fine Texture

C Style: C30R Gate
Color: Clay




B

*CCRR-0163 complies with IBC, IRC, and FBC



*For 4' through 6' Sections



C31*

C311

SPECIFICATIONS

- Railing Heights: 36", 42"
- Railing Lengths: 4', 5', 6', 7', 8'
- Stair Rail Lengths: 4', 5', 6', 7', 8'
- C31 Baluster: 3/4" x 3/4" x (.045" wall)
- C311 Baluster: 3/4" Round (.060" wall)
- Baluster Spacing: 3.875", 3.625" Stairs
- Stylish Top Rail: 1-3/4" w (.090") x 1-3/8" t (.085")
- Mid Rail: 1-3/4" w (.070") x 1-1/4" t (.070")
- Bottom Rail: 1-3/4" w (.090") x 1-1/4" t (.120")
- Vinyl Insert Baluster Retainer (Top, Mid and Bottom Rails)
- Bottom Rail Support: 5', 6', 7', 8'
- Standard Gates: 36"W and 48"W Openings (Custom Sizes Available)

NOTE: Baluster end spacing may vary by length.

All sections do not come out even on each end as shown above.



Top Rail Profile



Mid Rail Profile




Bottom Rail Profile

Riviera I

Styles C31* & C311

You can create a high quality appearance with the designs of Style C31 or C311. Style C31 utilized a 3-rail design including 3/4" square balusters while Style C311 is comprised of the 3-rail design along with 3/4" round balusters.



A Style: C31
Color: Gloss White

*CCRR-0163 complies with IBC, IRC, and FBC



*For 4' through 6' Sections



Style C32*

The unparalleled design of Style C32 is created by the stylish top rail, classic mid and bottom rails, and 3/4" square balusters.

Style C321

Another option is the smooth feel of Style C321 created by 3/4" round balusters

A Style: C32
Color: Bronze
Fine Texture

B Style: C321
Color: Gloss White


C Style: C321
Color: Speckled Walnut



*CCRR-0163 complies with IBC, IRC, and FBC



*For 4' through 6' Sections



Riviera II

Styles C32* & C321

The Riviera II Series embraces a proud statement by taking the ordinary to the extraordinary. The look and feel of every other Baluster in the top section compliments the full balusters below.

SPECIFICATIONS

- Railing Heights: 36", 42"
- Railing Lengths: 4', 5', 6', 7', 8'
- Stair Rail Lengths: 4', 5', 6', 7', 8'
- C32 Baluster: 3/4" x 3/4" x (.045" wall)
- C321 Baluster: 3/4" Round (.060" wall)
- Baluster Spacing: 3.875", 3.625" Stairs
- Stylish Top Rail: 1-3/4" w (.090") x 1-3/8" t (.085")
- Mid Rail: 1-3/4" w (.070") x 1-1/4" t (.070")
- Bottom Rail: 1-3/4" w (.090") x 1-1/4" t (.120")
- Vinyl Insert Baluster Retainer (Top, Mid and Bottom Rails)
- Bottom Rail Support: 5', 6', 7', 8'
- Standard Gates: 36"W and 48"W Openings (Custom Sizes Available)

NOTE: Baluster end spacing may vary by length.

All sections do not come out even on each end as shown above.



Top Rail Profile



Mid Rail Profile



Bottom Rail Profile



D Style: C32
Color: Gloss White

*CCRR-0163 complies with IBC, IRC, and FBC




*For 4' through 6' Sections

Riviera III

Styles C33* & C331

Riviera III Series encompasses the 3-rail design with a unique top design. This design places every third Baluster in the top section while the bottom section contains balusters within the entire section. Style C33 is created with 3/4" square balusters. Style C331 captures a different feel with 3/4" round balusters.



C33*

C331

SPECIFICATIONS

- Railing Heights: 36", 42"
- Railing Lengths: 4', 5', 6', 7', 8'
- Stair Rail Lengths: 4', 5', 6', 7', 8'
- C33 Baluster: 3/4" x 3/4" x (.045" wall)
- C331 Baluster: 3/4" Round (.060" wall)
- Baluster Spacing: 3.875", 3.625" Stairs
- Stylish Top Rail: 1-3/4" w (.090") x 1-3/8" t (.085")
- Mid Rail: 1-3/4" w (.070") x 1-1/4" t (.070")
- Bottom Rail: 1-3/4" w (.090") x 1-1/4" t (.120")
- Vinyl Insert Baluster Retainer (Top, Mid and Bottom Rails)
- Bottom Rail Support: 5', 6', 7', 8'
- Standard Gates: 36"W and 48"W Openings (Custom Sizes Available)

NOTE: Baluster end spacing may vary by length.
All sections do not come out even on each end as shown above.



A Style: C33
Color: Satin Black


B Style: C33
Color: Satin Black



*CCRR-0163 complies with IBC, IRC, and FBC



*For 4' through 6' Sections



Riviera IV

Styles C34* & C341

For a more delicate appearance, the Riviera IV Series takes every fourth Baluster to the top rail with a bottom section full of balusters. Style C34 has 3/4" square balusters while Style C341 is complimented with 3/4" round balusters.

SPECIFICATIONS

- Railing Heights: 36", 42"
- Railing Lengths: 4', 5', 6', 7', 8'
- Stair Rail Lengths: 4', 5', 6', 7', 8'
- C34 Baluster: 3/4" x 3/4" x (.045" wall)
- C341 Baluster: 3/4" Round (.060" wall)
- Baluster Spacing: 3.875", 3.625" Stairs
- Stylish Top Rail: 1-3/4" w (.090") x 1-3/8" t (.085")
- Mid Rail: 1-3/4" w (.070") x 1-1/4" t (.070")
- Bottom Rail: 1-3/4" w (.090") x 1-1/4" t (.120")
- Vinyl Insert Baluster Retainer (Top, Mid and Bottom Rails)
- Bottom Rail Support: 5', 6', 7', 8'
- Standard Gates: 36"W and 48"W Openings (Custom Sizes Available)

NOTE: Baluster end spacing may vary by length.
All sections do not come out even on each end as shown above.



Top Rail Profile



Mid Rail Profile



Bottom Rail Profile

***CCRR-0163 complies with IBC, IRC, and FBC**



*For 4' through 6' Sections



D



C Style: C34
Color: Satin Black

D Style: C341 Gate
Color: Black Fine Texture




A Style: C70
Color: Satin Black

B Style: C70
Color: Chocolate

C Style: C70
Color: Chocolate





SPECIFICATIONS

- Railing Heights: 36", 42"
- Railing Lengths: 4', 5', 6'
- Stair Rail Lengths: All Stair Rails are Custom Ordered
- Glass Panel: 1/4" Tempered Glass Standard, Optional 3/8" Tempered Glass*
- Standard Glass Panel Color: Clear
Special Order Colors: Bronze, Grey
- Stylish Top Rail: 1-3/4" w (.085") x 1-3/8" t (.085")
- Bottom Rail: 1-3/4" w (.085") x 1-1/4" t (.085")
- EPDM Gasket: Top and Bottom Rails
- Standard Gates: 36"W and 48"W Openings (Custom Sizes Available)

NOTE: Glass end spacing may vary if rails are cut down.

All sections do not come out even on each end as shown above.

*3/8" Glass Not Provided by Digger Specialties



Top Rail Profile



Bottom Rail Profile

The stylish top rail and classic bottom rail securely hold glass panels in place.

Veranda

Style C70*

The Veranda Series creates a phenomenal viewing area. The crystal clear design incorporates full glass panels into the classic 2-rail design. Whether you have a view of land or water, the Veranda Series gives you an open concept with the security of a full railing sections.



D&E Style: C70 With Level and Corner Crossover Posts
Color: Speckled Walnut

*CCRR-0163 complies with IBC, IRC, and FBC





A Easily Attaches to Westbury C Series Crossover Post System

B Supports Wood or Composite Deck Board (Deck Board Not Included)

C Solid Wall Construction for Strength & Durability





Drink Rail

Westbury Drink Rail adapts to all Westbury C Series designs. Pre-drilled and ready to install, Drink Rail mounts sturdily and is ready for your wood or composite material to be attached. Convenient and beautiful, Drink Rail creates the perfect spot for your morning coffee or a cool drink in the afternoon.

SPECIFICATIONS

- Pre-Drilled Westbury Aluminum Drink Rail (individually sleeved)
- #10 x 5/8" Self-Tapping Screws (Attach To Top Rail)
- #10 x 3/4" Screws (To Attach Deck Boards)
- Drink Rail Length: 74" & 98"
- Drink Rail Width: 3 1/4"
- Supports Wood or Composite Deck Board
- Lifetime Limited Warranty
- Installs on Westbury C Series Crossover Post System
- Available in all the Westbury Standard Colors
- Deck Board Not Included




D Underside View of the Seamless Integration of the Drink Rail system

E Pre-Drilled to Attach the Top Rail

F Easily Attaches to Westbury C Series Crossover Post System

Powder Coating

Westbury Aluminum Railing powder coating is an uncompromising quality created by state-of-the-art technology. This is the highest quality powder coating on the market with a lifetime-limited warranty giving you peace of mind in your investment.



The powder coating application booth produces zero VOC emissions. Powder is stored and applied in a climate controlled positive pressure environmental room. Ten pre-treat system titration checks twice per shift maintain system parameters and ten QC checks are completed every hour on product coming off the powder-coating line. Parts are not touched by human hands during the pre-treat, dry-off, application, and cure process to maintain ultimate cleanliness of powder-coated parts.




Verified AAMA 2604 Compliant Powder Coating

DSI is a PCI 4000 certified and verified AAMA 2604 and AAMA 2605 compliant powder coating applicator. The powder coating process is accredited by the American Architectural Manufacturing Association and the Powder Coating Institute. Our powder coating is custom blended from a Super Durable Polyester TGIC (Triglycidyl Isocyanurate) resin-base, using premium pigmentation to meet AAMA 2604 specifications. Our AAMA 2605 is a fluorocarbon polymer resin system.

Exclusive DSI Powder Coating Process



The raw premium-grade aluminum is inspected to be free of blemishes and is not exposed to the outdoor elements.



The product enters a heated acidic cleaning stage to remove extrusion debris and fabrication oils.



First of three water rinses, ending in pure reverse osmosis water. Finishing with a dried-in-place aluminum sealer.





A 200 MPH air blast removes water drops from the pre-treated aluminum. A convection oven completes the dry-off process.



Powder is applied with 18 automated and 2 manual spray guns. Compressed process air is dried to -35°F Dew Point for superior adhesion.



The powder coating is then bonded and adhered to the aluminum sub-straight in a 400 degree cure stage.




Accessories

Brackets, Posts, Caps, & Flairs

The finishing touch to your masterpiece...Accessories. A variety of post sizes and wall thicknesses add strength to your railing. The standard mounts combined with swivel mounts solve many unique scenarios. Optional post caps finished off by the convenience of 2-piece and 1 piece post flairs, create a variety of looks. All these options create the Westbury Aluminum Railing Accessories.

Posts



*Testing Results - CCRR-0163 complies with IBC†, IRC†, and FBC. Note: Please check with local code authorities for requirements.



Crossovers




†Corner Crossover Post


†Stair Crossover Post

†Level Crossover Post


Mounts



Wall & Angle Swivel Mounts



Stair Mounts



Stair Swivel Mounts



Top and Bottom Double Swivel Stair Mount

Accessories



2", 2-1/2" & 4" Post Flair (2-piece)
6" Post Flair (1-piece) Available

Rail Support

Welded Corner




Flat Cap (2", 2-1/2", 4", 6")

Ball Cap (2", 2-1/2", 4")

MagenaStar Post Cap
Light (Low Voltage & Solar)

†Patent No. 8,998,175



Colors

Standard Colors & Custom Colors

A variety of standard colors combined with the option of custom colors to compliment your home. From satin colors to textured colors to multi-colors, the possibilities are endless. 12 Standard Colors available, custom colors are available.

***Note: Upcharge for Silver with minimum order.**

AAMA2605 Colors are Special Order.

Powder Coating



Verified AAMA 2604 Compliant Powder Coating

AAMA 2604 & AAMA 2605

Westbury Aluminum Railing powder coating is an uncompromising quality created by state-of-the-art technology. This is the highest quality powder coating on the market with a lifetime-limited warranty giving you peace of mind in your investment.



A Style: C10
Color: Black Fine Texture
With Level Crossover Post

CHR

Continuous Handrail ALUMINUM

Aluminum Continuous Handrail

ADA Compliant Handrail

A variety of rail lengths and accessories complete this system.



ADA COMPLIANT RAILING SYSTEM INCLUDES:

- 1-3/8" Aluminum Rail (8', 10', 16') (1-1/2" w/Collar)
- 1/8" Collar Ring (To Cover Splice)
- Strong Internal Connector
- Continuous 180° Handrail Return
- Tapered 1-piece Wall Return
- Beveled Internal End Cap
- Verified AAMA 2604 Compliant Powder Coating
- Available in all the Standard and Custom Colors Shown on Page 23
- Lifetime Limited Warranty
- Virtually Maintenance Free



90° Welded Elbow
(Aluminum)



Collar Ring
(to cover splice)



Inside Corner Mount
(attaches to post)



Wall Mount



1 3/8" Handrail
(Aluminum)



Internal Connector
(aluminum)



1/8" Collar Rings
(to cover splice)




Handrail Return
(180° Elbow)



Wall Return



Handrail Elbows
(5°, 31°, 34° and 36° Elbows)



Handrail Elbow
(90° Elbow)



Inside Corner Mount
(attaches to post)



Internal End Cap



Wall Mount



Extended Wall Mount



www.westburyrailing.com

We have tried to make this catalog comprehensive and factual. We reserve the right to discontinue at any time, without notice, colors, materials, equipment and availability. Since some information may have been updated since the time of printing, we are not responsible for typographical or pictorial errors. Materials shown may vary slightly from actual colors. ©Digger Specialties 2015 SP 06/15 99519