


COMPOSITE AND FIBERGLASS







DYNAMIC SOLUTIONS INNOVATION

Since 1984, Digger Specialties, Inc. (DSI) has manufactured quality products for the outdoor living industry.

DSI is constantly improving and innovating to bring better products to the marketplace.

Composite and Fiberglass Columns are available in two finishes to meet your installation and design needs.

- Mill Finish This standard column comes ready for finishing and painting.
- Caulk-N-Walk This column is ready to install, just caulk and walk away.

Composite and Fiberglass
Column products feature heavy
duty packaging to resist transit
and job site damage and are
backed by a Lifetime Limited
Warranty.



The Column Solutions Company

Westbury® Columns offer quality craftsmanship, impeccable design, and integrated architectural elements to deliver an elegant and low-maintenance, long lasting column.

Composite and Fiberglass Columns are available in a broad selection of sizes, models, and load-bearing capacities to meet most design needs.

Table of Contents

Column Types	2
Column Finishes	
Column Installation	4
Column Cuts	5
Fiberglass Square Columns	
Composite Square Columns	8-10
Square Capitals and Bases	
Composite Round Columns	12-14
Round Capitals and Bases	
Craftsman Columns	18-19
Accessories & Options	20-21



COMPOSITE

DSI manufactures all Westbury® composite columns, capitals, and bases at their North Carolina facility. These columns are manufactured using calcium carbonate (marble dust), polyester resin, and other ingredients for optimum beauty, realism, and resilience. Engineered for lasting durability and structural integrity, Westbury® Columns will stand up to the harshest elements and continue to add beauty and elegance for years to come.

Key Features:

- A broad selection of models and sizes
- Perfect for both interior and exterior
- Uses the best raw materials and state-of-theart equipment available
- A consistent smooth finish that requires minimal sanding
- Load bearing, durable, and low maintenance

FIBERGLASS

DSI's lightweight fiberglass Herculite Columns are manufactured using advanced pultrusion technology. Herculite Square Smooth Columns provide a strong and lightweight option for your column needs.

Key Features:

- Price comparable to site built
- One hour installation versus three hour site built installation
- Load bearing, lightweight, and easy to install
- Patented Snug-Fit Capitals
- Tough sidewalls providing impact resistance

COLUMN FINISHES

MILL FINISH

Mill is the standard finish for all Composite and Fiberglass Columns. This finish allows you to choose your paint color and gloss level. These columns require prep (sanding, fill, and cleaning) prior to job site painting.

Key Features:

- Allows customization of colors to match your style
- Industry standard for column finish

CAULK-N-WALK®

Caulk-N-Walk® Columns eliminate the need to prep and paint (available in select sizes of Round Smooth Tapered Columns). Caulk-N-Walk® Columns take column installation to the next level. No more parting lines to sand or fix with body putty.

Key Features:

- The first white seamless column system. The color runs all the way through the column.
- Column produced with titanium dioxide (TiO₂).
- No painting needed
- Round Tapered Seamless Columns
- Matching Caulk-N-Walk® Capital and Base

INSTALLATION

PLUMB PERFECT®

The First All-In-One Box Column Installation System

Digger Specialties, Inc. takes a common sense approach to removing the hassles associated with installing a column. The Plumb Perfect® Column Installation System will guide you through the installation process to project completion, while saving you valuable time and money.

Key Features:

- Eliminates outside installation hardware
- Eliminates finish work on screw heads by concealing all installation devices
- No more searching for parts
- Base target assists in positioning base ring and column



Available for **select** models and sizes. Please see individual model charts for availability.

Additional installation hardware available. See page 20 for more information.

COLUMN

SPLIT-FIT®

Traditional split columns can be difficult to reassemble on-site and require multiple leveling and alignment adjustments to realign the two halves.

DSI's unique cast indexing keys make aligning the column halves a simple process, saving you valuable time — virtually eliminating the frustration of split column installation.







Patent # US 8,234,837 B2

Key Features:

- Factory assembled aligning keys restrict lateral & vertical movement
- Fully split columns arrive ready to install
- Precision diamond cut line is easy to finish
- Patented Tongue & Groove fit ensures snug installation
- Optional Reassembly Kits available (See page 20, ask your supplier for details)

PILASTER

For those special projects that may need a unique pilaster column, DSI has the ability to meet your specifications.

Pilaster Cuts










The graphic below shows the many custom cut types available for splitting your column. Custom Cuts are special order and customized to your needs.


Note: Standard DSI lead times do not apply to special orders

Custom Cuts






Fiberglass Pultruded Columns (Herculite) offer a lightweight alternative to composite (cast) columns. Square Smooth Herculite columns are designed with advanced technology to produce load bearing columns.



Herculite Square Smooth Pultruded Columns

Column Size (Nominal)	Outside Dimension (A)	Inside Dimension	Material Thickness
6" x 8'	5 1/2"	5"	1/8"
6" x 9'	5 1/2"	5"	1/8"
6" x 10'	5 1/2"	5"	1/8"
6" x 12'	5 1/2"	5"	1/8"
8" x 8'	7 1/2"	7"	1/8"
8" x 9'	7 1/2"	7"	1/8"
8" x 10'	7 1/2"	7"	1/8"
8" x 12'	7 1/2"	7"	1/8"
10" x 8'	9 1/2"	9"	1/8"
10" x 9'	9 1/2"	9"	1/8"
10" x 10'	9 1/2"	9"	1/8"
10" x 12'	9 1/2"	9"	1/8"
12" x 8'	11 1/2"	11"	1/8"
12" x 9'	11 1/2"	11"	1/8"
12" x 10'	11 1/2"	11"	1/8"
12" x 12'	11 1/2"	11"	1/8"








Square Columns eliminate hours of labor associated with site-built columns while adding crisp, clean lines, and architectural aesthetics.


Square Columns are available in smooth, fluted, recessed panel, and our unique recessed panel pedestal design.



Square Smooth Columns


-				
	Column Size (Nominal)	Outside Dimension (A)	Inside Dimension	Material Thickness
	6" x 8'	5 1/2"	4 1/2"	1/2"
	6" x 9'	5 1/2"	4 1/2"	1/2"
	8" x 8'	7 1/2"	6 3/4"	3/8"
	8" x 9'	7 1/2"	6 3/4"	3/8"
	8" x 10'	7 1/2"	6 3/4"	3/8"
	10" x 8'	9 1/2"	8 3/8"	3/8"
	10" x 9'	9 1/2"	8 3/8"	3/8"
	10" x 10'	9 1/2"	8 3/8"	3/8"
	12" x 8'	11 1/2"	10 1/2"	1/2"
	12" x 9'	11 1/2"	10 1/2"	1/2"
	12" x 10'	11 1/2"	10 1/2"	1/2"
	12" x 12'	11 1/2"	10 1/2"	1/2"
	14" x 8'	13 7/8"	13 1/8"	3/8"
	14" x 9'	13 7/8"	13 1/8"	3/8"
	14" x 10'	13 7/8"	13 1/8"	3/8"
	14" x 12'	13 7/8"	13 1/8"	3/8"

Square Fluted Columns



Column Size (Nominal)	Outside Dimension (A)	Top Inside Dimension	Bottom Inside Dimension	Material Thickness	Design from Top (T) and from Bottom (B)
8" x 8'	7 1/2"	5 13/16"	5 11/16"	3/8"	T = 8 9/16", B = 12"
8" x 9'	7 1/2"	5 13/16"	6 9/16"	3/8"	T = 8 9/16", B = 8 15/16"
8" x 10'	7 1/2"	5 13/16"	6 9/16"	3/8"	T = 8 9/16", B = 20 15/16"
10" x 8'	9 1/2"	7 11/16"	7 11/16"	3/8"	T = 9 1/4", B = 15 1/2"
10" x 9'	9 1/2"	7 3/4"	7 11/16"	3/8"	T = 9 3/16", B = 6 1/16"
10" x 10'	9 1/2"	7 3/4"	7 11/16"	3/8"	T = 9 3/16", B = 18 1/16"
12" x 9'	11 5/8"	10 3/16"	10 3/16"	3/8"	T = 9 7/8", B = 9"
12" x 10'	11 5/8"	10 3/16"	10 3/16"	3/8"	T = 9 7/8", B = 21"
12" x 12'	11 5/8"	10 3/16"	10 3/16"	3/8"	T = 9 7/8", B = 45"

SQUARE COLUMNS




- Outside Dimension
- Bottom
- T Design from Top

Astragal Position Determined by Customer

Square Recessed Panel Columns

Column Size (Nominal)	Outside Dimension (A)	Top Inside Dimension	Bottom Inside Dimension	Material Thickness	Design from Top (T) and from Bottom(B)
8" x 8'	7 1/2"	5 3/4"	5 13/16"	3/8"	T = 8 7/16", B = 10 1/8"
8" x 9'	7 1/2"	6 1/2"	5 13/16"	3/8"	T = 8 3/8", B = 8 5/8"
8" x 10'	7 1/2"	5 7/8"	6 11/16"	3/8"	T = 8 3/8", B = 20 5/8"
10" x 8'	9 1/2"	7 5/8"	8 9/16"	3/8"	T = 10 1/16", B = 16 1/8"
10" x 9'	9 1/2"	7 11/16"	8 11/16"	3/8"	T = 10", B = 8 11/16"
10" x 10'	9 1/2"	7 11/16"	8 5/8"	3/8"	T = 10", B = 20 11/16"
12" x 8'	11 1/2"	10"	10 9/16"	3/8"	T = 10 1/2", B = 5 15/16"
12" x 9'	11 1/2"	10"	10 1/2"	3/8"	T = 9 13/16", B = 6 3/16"
12" x 10'	11 1/2"	10"	10 1/2"	3/8"	T = 9 13/16", B = 18 3/16"



Square Recessed Panel Pedestal Columns

Column Size (Nominal)	Top Outside Dimension(A)	Bottom Outside Dimension (B)	Pedestal Height (C)	
10" x 8'	7 1/2"	8 5/8"	41"	
10" x 9'	7 1/2"	8 5/8"	41"	
10" x 10'	7 1/2"	8 5/8"	41"	

Note: Base is part of the pedestal

SQUARE CAPITALS & BASES

Capitals and bases provide a finishing touch to your column. The standard capital and base set for square columns is the Tuscanstvle.

Tuscan capitals for square columns are made from Polyurethane. Most sizes of Tuscan capitals are made utilizing a patented process to create a Snug-Fit capital. This capital eliminates the need to purchase a backer rod to close the gap that can occur between the column shaft and the capital. Snug-Fit capitals do not require pilot holes.

The Standard Tuscan base is made from the same material as the column to protect both the base and column from dents and other damage. Optional Poly Bases and Alto-style bases are also available for some square columns.









Square Polyurethane Tuscan Capitals

Capital Size	Width	Height	Inside Dimension	Diagonal	
6"	8 1/16"	2 1/2"	5 5/8"	11 3/8"	
8"	11"	2 3/4"	7 3/4"	15 3/8"	
10"	13 5/8"	3 3/8"	9 5/8"	19 1/8"	
12"	15 5/8"	3 1/2"	11 11/16"	22"	
14"	18 1/4"	4"	14 1/16"	25 3/4"	

Square Tuscan Bases

Base Size	Width	Height	Inside Dimension	Diagonal
6"	8 1/8"	3 7/8"	5 11/16"	11 5/8"
8"	10 1/4"	4"	7 5/8"	14 1/4"
10"	13"	5 1/8"	9 5/8"	18 3/8"
12"	15 1/8"	5"	11 3/4"	21 1/16"
14"	17 7/8"	5 3/4"	14"	25 1/4"

Knock-Out Square Tuscan Bases

Base Size	Width	Height	Inside Dimension	Diagonal
6"	8 1/8"	3 7/8"	5 11/16"	11 5/8"
8"	10 1/4"	4"	7 5/8"	14 1/4"
10"	13"	5 1/8"	9 5/8"	18 3/8"
12"	15 1/8"	5"	11 3/4"	21 1/16"

Square Alto Bases

Base Size	Width	Height	Inside Dimension	Diagonal
6"	7 3/8"	5 5/8"	6"	10 1/4"
8"	9 3/4"	7 1/4"	7 3/4"	13 3/4"
10"	11 1/2"	8 1/2"	9 5/8"	16 1/4"
12"	13 1/2"	9 3/4"	11 7/8"	19 1/8"

Column, Capital, Astragal, Base, and Bracket Kit all in one box Column, Capital, Base, and Bracket Kit all in one box

 Seamless Column, except for Split-Fit[®] ▲Snug-Fit Capital

Patent # US 8,424,259 B2



COMPOSITE COLUMNS



Tuscan Columns are one of the most recognizable architectural elements in the world. From the historical cities of Europe to the cities and towns of the United States. these columns and their elegant style are celebrated by architects the world over.

Round Columns are available in smooth tapered and non-tapered and fluted tapered.

Round Smooth Tapered

	Column Size (Nominal)	Top Outside Diameter (A)	Top Inside Diameter	Bottom Outside Diameter (B)	Bottom Inside Diameter	Taper from Bottom	Material Thickness	Neck Ring Height (C)
	6" x 8'	5 1/8"	4 3/8"	6"	5 1/4"	45"	3/8"	4"
	8" x 5'	6 1/8"	5 3/8"	7 5/8"	6 7/8"	15"	3/8"	5"
	8" x 6'	6 1/8"	5 3/8"	7 5/8"	6 7/8"	27"	3/8"	5"
	8" x 8'	6 1/8"	5 3/8"	7 5/8"	6 7/8"	31"	3/8"	5"
	8" x 9'	6 1/8"	5 3/8"	7 5/8"	6 7/8"	26"	3/8"	5"
	8" x 10'	6 1/8"	5 3/8"	7 5/8"	6 7/8"	38"	3/8"	5"
	10" x 6'	8"	7 1/4"	9 5/8"	8 7/8"	6"	3/8"	5 7/8"
	10" x 8'	8"	7 1/4"	9 5/8"	8 7/8"	30"	3/8"	5 7/8"
	10" x 9'	8"	7 1/4"	9 5/8"	8 7/8"	24"	3/8"	5 7/8"
	10" x 10'	8"	7 1/4"	9 5/8"	8 7/8"	36"	3/8"	5 7/8"
	10" x 12'	8"	7 1/4"	9 5/8"	8 7/8"	62"	3/8"	5 7/8"
T THE	12" x 6'	9 1/2"	8 5/8"	11 1/2"	10 3/4"	8"	3/8"	7 3/4"
	12" x 8'	9 1/2"	8 5/8"	11 1/2"	10 3/4"	32"	3/8"	7 3/4"
	12" x 9'	9 1/2"	8 3/4"	11 1/2"	10 3/4"	29"	3/8"	7 3/4"
	12" x 10'	9 1/2"	8 3/4"	11 1/2"	10 3/4"	41"	3/8"	7 3/4"
	12" x 12'	9 5/8"	8 7/8"	11 5/8"	10 7/8"	40"	3/8"	7 3/4"
	12" x 14'	9 5/8"	8 7/8"	11 5/8"	10 7/8"	48"	3/8"	7 3/4"
	12" x 16'	9 5/8"	8 7/8"	11 5/8"	10 7/8"	72"	3/8"	7 3/4"
	14" x 8'	12"	11 1/4"	13 7/8"	13 1/8"	22"	3/8"	8 1/8"
	14" x 9'	12"	11 1/4"	13 7/8"	13 1/8"	34"	3/8"	8 1/8"
2 222	14" x 10'	12"	11 1/4"	13 7/8"	13 1/8"	46"	3/8"	8 1/8"
	14" x 12'	12"	11 1/4"	14"	13 1/4"	26"	3/8"	8 1/8"
	14" x 14'	12"	11 1/4"	14"	13 1/4"	50"	3/8"	8 1/8"
	14" x 16'	12"	11 1/4"	14"	13 1/4"	74"	3/8"	8 1/8"
	14" x 18'	12"	11 1/4"	14"	13 1/4"	98"	3/8"	8 1/8"
	16" x 8'	13 3/4"	12 3/4"	15 3/4"	14 3/4"	31"	1/2"	8 1/2"
	16" x 9'	13 3/4"	12 3/4"	15 3/4"	14 3/4"	43"	1/2"	8 1/2"
	16" x 10'	13 3/4"	12 3/4"	15 3/4"	14 3/4"	55"	1/2"	8 1/2"
	16" x 10"	13 3/4"	12 3/4"	15 3/4"	14 3/4"	36"	1/2"	9"
	16" x 12"	13 3/4"	12 3/4"	15 3/4"	14 3/4"	60"	1/2"	9"
	16" x 14'	13 3/4"	12 3/4"	15 3/4"	14 3/4"	84"	1/2"	9"
		13 3/4"				108"	1/2"	9"
	16" x 18'		12 3/4"	15 3/4"	14 3/4"	108	1/2"	
	18" x 9'	15 3/8" 15 3/8"	14 3/8" 14 3/8"	17 1/4" 17 1/4"	16 1/4" 16 1/4"	24"	1/2"	11 5/8" 11 5/8"
÷ ++	18" x 10'	15 3/8"	14 3/8"	17 1/4"	16 1/4"	36"	1/2"	11 5/8"
• ••	18" x 12'	15 3/8"	14 3/8"	17 1/4"	16 1/4"	60"	1/2"	11 5/8"
÷ ++	18" x 14'	15 1/4"	14 3/8"	17 1/4	16 3/8"	28"	1/2"	11 1/2"
	18" x 16'	15 1/4"	14 3/6	17 5/8"	16 3/8"	60"	1/2"	11 1/2"
	18" x 18'	15 1/4"	14 1/4"	17 5/8"	16 3/8"	84"	1/2"	11 1/2"
†		15 1/4"	14 1/4"	17 5/8"	16 3/8"	108"	1/2"	11 1/2"
• ••	18" x 20'	16 3/8"		19 3/4"	18 3/4"	0"	1/2"	
• •••	20" x 12'		15 3/8"			17"		10 1/8"
	20" x 14'	16 3/8"	15 3/8"	19 3/4"	18 3/4"		1/2"	10 1/8"
•	20" x 16'	16 3/8"	15 3/8"	19 3/4"	18 3/4"	41"	1/2"	10 1/8"
!	20" x 18'	16 3/8"	15 3/8"	19 3/4"	18 3/4"	65"	1/2"	10 1/8"
!	20" x 20'	16 3/8"	15 3/8"	19 3/4"	18 3/4"	89"	1/2"	10 1/8"
• • • • • • • • • • • • • • • • • •	20" x 22'	16 3/8"	15 3/8"	19 3/4"	18 3/4"	113"	1/2"	10 1/8"
!	20" x 24'	16 3/8"	15 3/8"	19 3/4"	18 3/4"	137"	1/2"	10 1/8"
!	24" x 14'	19 3/4"	18 3/4"	23 3/4"	22 3/4"	10"	1/2"	12 1/8"
	24" x 16'	19 3/4"	18 3/4"	23 3/4"	22 3/4"	34"	1/2"	12 1/8"
• •	24" x 18'	19 3/4"	18 3/4"	23 3/4"	22 3/4"	58"	1/2"	12 1/8"
	24" x 20'	19 3/4"	18 3/4"	23 3/4"	22 3/4"	82"	1/2"	12 1/8"
	24" 22	19 3/4"	18 3/4"	23 3/4"	22 3/4"	106"	1/2"	12 1/8"
	24" x 22' 24" x 24'	19 3/4"	18 3/4"	23 3/4"	22 3/4"	130"	1/2"	12 1/8"



A Top Outside Diameter **B** Bottom Outside Diameter

C Neck Ring Height

Key: Mill Finish Caulk-N-Walk® Plumb Perfect® (kit included) Plumb Perfect® (kit sold separately) Split-Fit® Plaster

Column, Capital, Astragal, Base, and Bracket Kit all in one box

Column, Capital, Base, and Bracket Kit all in one box


Seamless Column, except for Split-Fit®

▲ Snug-Fit Capital

Load Bearing: Visit diggerspecialties.com for testing information

ROUND COLUMNS


Round Fluted Tapered



Column Size (Nominal)	Top Outside Diameter (A)	Top Inside Diameter	Bottom Outside Diameter (B)	Bottom Inside Diameter	Taper from Bottom	Material Thickness	Flutes from Bottom	Neck Ring Height (C)
8" x 8'	6 1/4"	5 1/2"	7 3/4"	7"	30"	3/8"	11 1/2"	5 1/4"
8" x 9'	6 1/4"	5 1/4"	7 5/8"	6 7/8"	30"	3/8"	12"	5"
8" x 10'	6 1/4"	5 1/4"	7 5/8"	6 1/4"	42"	3/8"	12"	5"
10" x 8'	8"	7"	9 1/2"	8 5/8"	32"	3/8"	14 1/4"	5 3/4"
10" x 9'	7 5/8"	6 1/4"	9 3/4"	8 3/4"	20"	3/8"	10 1/2"	6 1/4"
10" x 10'	7 5/8"	6 1/4"	9 3/4"	8 3/4"	32"	3/8"	22 1/2"	6 1/4"
12" x 8'	9 5/8"	8 7/8"	11 7/8"	11"	22"	3/8"	15"	7 5/8"
12" x 9'	9 5/8"	8 7/8"	11 7/8"	11"	24"	3/8"	9"	7 5/8"
12" x 10'	9 5/8"	8 7/8"	11 7/8"	11"	36"	3/8"	16"	7 5/8"
12" x 12'	9 1/2"	8 1/2"	11 3/4"	11"	48"	3/8"	22 1/2"	7 5/8"

Round Smooth Non-**Tapered Columns** offer a sophisticated, uncomplicated look to your project.

To use Decorative Capitals with Round Smooth Non-Tapered Columns, select one size larger capital than the column size. Example: A 10" Non-Tapered Column requires a 12" Roman Ionic Capital.



Round Smooth Non-Tapered

Column Size (Nominal)	Outside Diameter (A)	Inside Diameter	Material Thickness	
8" x 8'	7 5/8"	6 7/8"	3/8"	
8" x 9'	7 5/8"	6 7/8"	3/8"	
8" x 10'	7 5/8"	6 7/8"	3/8"	
10" x 8'	9 5/8"	8 7/8"	3/8"	
10" x 9'	9 5/8"	8 7/8"	3/8"	,
10" x 10'	9 5/8"	8 7/8"	3/8"	
10" x 12'	9 5/8"	8 7/8"	3/8"	
12" x 8'	11 5/8"	10 7/8"	3/8"	
12" x 9'	11 5/8"	10 7/8"	3/8"	
12" x 10'	11 5/8"	10 7/8"	3/8"	٠
12" x 12'	11 5/8"	10 7/8"	3/8"	
12" x 14'	11 5/8"	10 7/8"	3/8"	
12" x 16'	11 5/8"	10 7/8"	3/8"	
14" x 8'	13 3/4"	13"	3/8"	
14" x 9'	13 3/4"	13"	3/8"	
14" x 10'	13 3/4"	13"	3/8"	
14" x 12'	13 3/4"	13"	3/8"	
14" x 14'	13 3/4"	13"	3/8"	
14" x 16'	13 3/4"	13"	3/8"	
16" x 8'	15 3/4"	14 3/4"	1/2"	
16" x 9'	15 3/4"	14 3/4"	1/2"	
18" x 8'	17 5/8"	16 5/8"	1/2"	
18" x 9'	17 5/8"	16 5/8"	1/2"	
20" x 9'	19 7/8"	18 7/8"	1/2"	
20" x 10'	19 7/8"	18 7/8"	1/2"	
24" x 9'	23 7/8"	22 5/8"	5/8"	
24" x 10'	23 7/8"	22 5/8"	5/8"	

Key: Mill Finish Caulk-N-Walk* Plumb Perfect* (kit included) Plumb Perfect* (kit sold separately) Split-Fit* Pilaster

Column, Capital, Astragal, Base, and Bracket Kit all in one box Column, Capital, Base, and Bracket Kit all in one box

Seamless Column, except for Split-Fit[®]

▲ Snug-Fit Capital

ROUND CAPITALS

Standard Tuscan Capitals are cast from the same rock hard composite material as the column shaft, assuring maximum durability. Although casting capitals from this material requires extra attention to detail, DSI thinks you will agree it is worth the effort.

Most sizes of the Tuscan Tapered Capitals are made from Polyurethane. And some sizes are made utilizing a patented process to create a **Snug-Fit** Capital. The Polyurethane Capital is created with a foam ring for a snug-fit. This capital eliminates the need to purchase a backer rod to close the gap that can occur between the column shaft and the Capital. Snug-Fit capitals do not require pilot holes.




Non-Tapered Tuscan Capitals

Column Size	Width	Height	Inside Diameter	Diagonal
8"	9 3/8"	2 1/2"	7 11/16"	13 5/8"
10"	12"	2 7/8"	9 3/4"	16 3/4"
12"	14"	3 5/8"	11 3/4"	20"
14"	16 3/4"	3 1/2"	14 1/8"	23 1/2"
16"	19 1/16"	4 5/8"	16"	27"



Tapered Tuscan Capitals

	-			_		
	Column Size	Width	Height	Inside Diameter	Diagonal	
	Polyuretha	ne				1
	6"	8"	2 1/4"	5 1/4"	11"	
	8"	9 3/16"	2 3/8"	6 7/16"	13"	
1	10"	12 1/4"	3 1/2"	8 3/16"	17-5/16"	
1	12"	14"	4 1/2"	9 9/16"	19 7/8"	
	14"	16 3/4"	4 1/2"	12 1/8"	23 5/8"	
	16"	19 1/16"	5 1/8"	14"	27"	
	Composite					l
	18"	21 1/4"	5 3/4"	15 3/4"	30"	
	20"	24 3/8"	5 5/8"	16 3/4"	34 1/2"	
Ī	24"	27 3/4"	7 5/8"	20 1/2"	39 1/4"	



Patent # US 8,424,259 B2

ROUND DECORATIVE CAPITALS

Decorative Capitals provide an opportunity to augment architectural integrity and add beauty to your home. Decorative Capitals are load-bearing and made from the same material as the column. This ensures a great looking column that is easy to maintain.

To use Decorative Capitals with Round Smooth Non-Tapered Columns, select one size larger capital than the column size. Example: A 10" Non-Tapered Column requires a 12" Roman Ionic Capital.











Roman Corinthian Capitals

-	Column Size	Width	Height	Outside Diameter (Plug)	Diagonal
	8"	12 1/4"	8 1/2"	5"	14 5/8"
	10"	13 7/8"	11 7/8"	6 3/4"	19 1/4"
	12"	18 1/8"	14 3/4"	8 1/4"	23 1/2"
	14"	22 1/8"	17 1/2"	10"	28 5/8"
	16"	23 1/4"	17 1/4"	12 1/4"	29"
	18"	27 1/2"	20 1/4"	12 7/8"	37 1/2"

Roman Ionic Capitals

1	Column Size	Width	Height	Outside Diameter (Plug)	Diagonal
	8"	7 3/4"	3 1/8"	5"	11"
	10"	10 1/2"	4 1/4"	6 1/2"	15"
	12"	12 3/8"	5"	8 1/4"	17 1/4"
	14"	16 3/8"	5 1/2"	9 1/2"	21 1/2"
	16"	16 3/8"	6"	12 1/4"	23"
	18"	19 1/8"	7 1/2"	13 7/8"	27 1/2"

Scamozzi Capitals

_	Column Size	Width	Height	Outside Diameter (Plug)	Diagonal
	8"	9 5/8"	3 1/8"	4 7/8"	12 7/8"
	10"	13 7/8"	3 3/4"	6 3/8"	18 1/2"
	12"	15 1/2"	4 7/8"	77/8"	19 7/8"
	14"	18 3/8"	5 1/2"	10 1/4"	24 1/4"
	16"	20"	6"	12"	26 1/2"
	18"	24"	7 1/8"	13 7/8"	31"

Temple of the Winds Capitals

Column Size	Width	Height	Outside Diameter (Plug)	Diagonal
8"	10 1/8"	7 3/8"	5"	14 1/8"
10"	13 1/2"	10 1/4"	6 3/4"	19 1/2"
12"	16 1/4"	13"	8 5/8"	23"
14"	20 5/8"	14 1/2"	9 5/8"	29 5/8"
16"	22 5/8"	16"	9 1/2"	31 5/8"
18"	26"	18"	14"	38"

- Key: Mill Finish Caulk-N-Walk® Plumb Perfect® (kit included) Plumb Perfect® (kit sold separately) Split-Fit® Plaster
 - Column, Capital, Base, and Bracket Kit all in one box Column, Capital, Astragal, Base, and Bracket Kit all in one box
 - Seamless Column, except for Split-Fit[®]

▲ Snug-Fit Capital

ROUND BASES

Standard Doric Bases and optional Attic Bases are made from the same material as the column, assuring maximum durability. This material provides superior performance withstanding punishment from snow shovels, weed eaters, power washers, and general wear and tear. Optional Poly Bases are available for select Round Smooth Columns.



Doric Bases*

-	Column Size	Width	Height	Inside Diameter	Diagonal
	6"	8"	3"	6 1/4"	11 1/4"
	8"	10"	4 1/8"	7 11/16"	14"
	10"	13 1/8"	5 5/8"	9 7/8"	18 15/16"
	12"	15 3/8"	6 5/16"	11 3/4"	21 3/4"
	14"	18 5/8"	7 1/4"	14 1/8"	26 5/16"
	16"	21 1/4"	8 1/8"	16 1/4"	30 1/16"
	18"	24"	9 1/4"	18"	33 7/8"
	20"	26 1/2"	11"	20 1/8"	37 5/8"
	24"	32 1/4"	13 1/2"	24"	45 5/8"



Knock-Out Doric Bases

Column Size	Width	Height	Inside Diameter	Diagonal
6"	8"	3"	6 1/4"	11 1/4"
8"	10"	4 1/8"	7 11/16"	14"
10"	13 1/8"	5 5/8"	9 7/8"	18 15/16"
12"	15 3/8"	6 5/16"	11 3/4"	21 3/4"



Attic Bases


Column Size	Width	Height	Inside Diameter	Diagonal
8"	10 3/8"	4 5/8"	7 3/4"	14 5/8"
10"	13"	5 5/8"	9 7/8"	18 3/8"
12"	15 7/8"	6 3/8"	12"	22 1/2"
14"	19 1/4"	8 3/8"	14 3/8"	27 1/4"
16"	21"	8 3/4"	16"	29 1/2"
18"	24"	10 1/4"	17 3/4"	34"

Key: ■ Mill Finish ■ Caulk-N-Walk® ■ Plumb Perfect® (kit included) ■ Plumb Perfect® (kit sold separately) ■ Split-Fit® ■ Pilaster

Column, Capital, Astragal, Base, and Bracket Kit all in one box 🔷 Column, Capital, Base, and Bracket Kit all in one box


● Seamless Column, except for Split-Fit® ▲ Snug-Fit Capital

N ---- 1 0 4 1 0 - 1 ---- -





COMPOSITE SINGLAND COLUMNS




The Craftsman architectural style is pure Americana. DSI offers a complete line of columns to create a clean, crisp look for your Craftsman style project.

Available in both smooth and recessed panel styles, these load-bearing columns will blend seamlessly with your home's craftsman style.

Columns ship complete with two pieces of Craftsman Moulding to finish off an aesthetic cap and base look.


And, of course they come with DSI's Lifetime Limited Warranty.



- A Outside Dimension Top
- B Outside Dimension Bottom

Craftsman Smooth Columns


Column Size (Nominal)	Outside Dimension Top (A)	Outside Dimension Bottom (B)
8" x 5" x 5'	5 1/4"	8 1/2"
9" x 5" x 6'	5 1/4"	9 1/4"
10" x 5 1/2" x 66"	5 1/2"	10 1/8"
11" x 8" x 5'	8 1/2"	11 1/4"
12" x 8" x 6'	8 1/2"	12"
12" x 9" x 8'	9"	11 7/8"
16" x 9" x 58"	9"	15 1/4"
16" x 9" x 64"	9"	16"
16" x 13" x 60"	13"	16"



Craftsman Recessed Columns

Column Size (Nominal)	Outside Dimension Top (A)	Outside Dimension Bottom (C)	Design from Top (T) and from Bottom (B)
8" x 5" x 5'	5 1/4"	8 1/2"	T=5 1/2" B=8 1/4"
9" x 5" x 6'	5 1/4"	9 1/4"	T=7" B=10 3/4"
10" x 5 1/2" x 66"	5 1/2"	10"	T=5 1/2" B=7"
11" x 8" x 5'	8 1/2"	11 1/4"	T=5 1/2" B=8 1/4"
12" x 8" x 6'	8 1/2"	12"	T=7" B=10 1/2"
12" x 9" x 8'	9"	11 7/8"	T=10" B=16 1/2"
16" x 9" x 58"	9"	15 1/4"	T=4 3/4" B=5 1/2"
16" x 9" x 64"	9"	16"	T=4 3/4" B=11 3/4"

Two pieces of Craftsman Moulding are included with each Craftsman Column. For more information visit *diggerspecialties.com*.



ACCESSORIES & OPTIONS

Bracket Kits

The Round and Square Bracket Kits assist in the prevention of lateral movement should an object impact a column.

Bracket Kits contain 6 round brackets or 4 square brackets and screws.





Note: Columns that ship with a capital and base included in the box will also include a Bracket Kit.

Split-Fit® Reassembly Kits


Split-Fit® Reassembly Kits include an Adhesive Cartridge with Adapter and (1) Roll of 3M/Scotch Bonding Tape.



Uplift Kits

Uplift Kits are designed to protect Westbury® Columns during high wind situations by reducing vertical movement of the column.

Uplift Kits are available for 8", 10", and 12" columns. These kits include a capital with cutouts to accommodate the brackets on the uplift kit.



Load-Bearing Specifications

Load ratings are specific to a product's diameter or profile and predicated on 100% coverage at the top and bottom of a column.

Scan the QR Code below to see Load-Bearing specifications.




Round Smooth Column Adapter Kits

Westbury® Columns work well with PolyRail® Vinyl Railing and Westbury® Aluminum Railing. Round Smooth Columns require an adapter to create a flat surface to allow the rail connection. Once the adapter is mounted to the column, the rail mounts easily to adapter and column.


PolyRail® Vinyl Railing

Available as a 4 pack (2 top and 2 bottom adapters).

Adapters shown are a close approximation, the length may change based on the model of railing.



Level Rail 8", 10"



Stair Rail 8", 10"

Westbury® Aluminum Railing

Available as a 4 pack (2 top and 2 bottom adapters) for two rail models and a 6 pack (2 top, 2 mid, and 2 bottom adapters) for three rail models.



Level Rail 8", 10"



Stair Rail 8", 10"

Packaging

Nothing increases the cost of a project more than delays. Delays can occur when the column arrives damaged, or the capital and base sets are separated from the order.

DSI takes great care in packaging Columns. Most sizes are packaged with the complete shaft, capital, and base in one box. The column shaft is "cradled" in the box with foam rings to resist damage. See individual model charts for specific column sizes that come "all in one box".



Fire Rated Product

DSI has fire rated products available upon request. Our fire rated products have received Class A Certification through testing for flame spread and smoke developed standards set forth in the ASTM E84 Test.









Transforming the Outdoor Living Experience®

diggerspecialties.com

Stay Connected













